

# Grey Kitty® Lawn Care Program

A guide to caring for and maintaining your lawn's health through the year



## Lawn Care by the Month

**Late March/April**

Apply pre-emergent to prevent weed germination. Do not apply if over-seeding. Apply Granular Revive to benefit from spring moisture.

**April/May**

Core aerate and apply Fertilome Granular Humic. Top dress with 1/4" Nature's Yield compost or EKO Lawn Top Dressing. Seed or sod if necessary.

**May/June**

Apply a slow release fertilizer. Water in.

**July/August**

Apply Revive for mid-summer heat stress and improved water penetration.

**Late August/  
Early September**

Apply pre-emergent to prevent weed germination. Do not apply if over-seeding.

**Late September/  
October**

Core aerate and apply Fertilome Granular Humic. Top dress with 1/4" Nature's Yield Compost or EKO Lawn Top Dressing. Seed or sod if necessary.

**October/November**

Apply a slow release winterizer. Water in.

(Continued)

# Recommended Products

**Slow-Release Fertilizers:** Richlawn Pro-Rich, Milorganite, and Colorado's Own Lawn Food

**Revive®** improves water penetration, adds nutrients, and promotes greener turf. Apply any time during growing season if needed; Available in both granular and liquid forms.

**Richlawn® Iron-Rich** helps lawns that are healthy, but are pale green; only apply once during growing season.

**F-Stop** is a fungicide that is helpful for several common lawn diseases. It should be applied (if needed) in spring to prevent fungal disease; later application will help disease from spreading.

**EKO Lawn Top Dressing** can be applied 1/4" thick to thinning and stressed turf areas. This sifted compost will enrich soil, promote root growth, and improve turf health.

**Fertilome Granular Humic** can be applied anytime to improve soil quality.

## Helpful Hints

- Read all instructions on package labels before applying. Over-applying or mixing incorrectly can cause damage.
- Don't fertilize too close to seeding. Only after 2nd mowing can seedlings handle fertilizer.
- If weeds appear, remove manually or spot treat with an herbicide. Apply in the evening when temperatures are between 65 and 85 with no wind.
- Mow grass to 3" to block weeds, grow deeper roots, and retain water.
- Water 1 1/2" per week (broken into three 1/2" morning cycles). Increase up to 2-3" during the hottest part of the summer. Never water an established lawn more than every second day. Adjust according to rainfall and temperature.

## For More Information\*



[CSU Extension Master Gardeners - Lawn Topics](#)



[CSU Extension - Lawn Care](#)

*\*Descriptions are clickable. For hard copies, please scan the qr codes with your phone's camera to be taken to the destination.*

*Revised 03/05/2024.*